ELSEVIER

Theoretical Computer Science 172 (1997) 323

Theoretical Computer Science

Author index volume 172 (1997)

(The issue number is given in front of the page numbers)

Ambos-Spies, K., S.A. Terwijn and X. Zheng, Resource bounded randomness and weakly complete problems (1–2) 195–207
Apolloni, B. and S. Chiaravalli, PAC learning of concept classes through the boundaries of their items (1–2) 91–120
Brandstädt, A., F.F. Dragan and F. Nicolai, Homogeneously orderable graphs (1–2) 209–232
Chiaravalli, S., *see* B. Apolloni (1–2) 91–120
Dendris, N.D., L.M. Kirousis and D.M. Thilikos, Fugitive-search games on graphs and related parameters (1–2) 233–254
Dragan, F.F., *see* A. Brandstädt (1–2) 209–232
Edmonds, J., Removing Ramsey theory: Lower bounds with smaller domain size (*Fundamental Study*) (1–2) 1– 41
Fagnot, I., Sur les facteurs des mots automatiques (1–2) 67– 89
Fischer, P., K.-U. Höffgen and H. Lefmann, PAC-learning from general examples (1–2) 43– 65
Goles, E. and M. Margenstern, Universality of the chip-firing game (1–2) 121–134
Handley, W.G., Deterministic summation modulo $\mathscr{B}_n$, the semigroup of binary relations on $\{0, 1, \ldots, n-1\}$ (1–2) 135–174
He, X., *see* G. Kant (1–2) 175–193
Höffgen, K.-U., *see* P. Fischer (1–2) 43– 65
Hohl, J-C., Massively parallel factorizations of polynomials with many non-commuting variables (*Note*) (1–2) 255–263
Hoogeboom, H.J. and A. Muscholl, The code problem for traces – improving the boundaries (*Note*) (1–2) 309–321
Iliopoulos, C.S., D. Moore and W.F. Smyth, A characterization of the squares in a Fibonacci string (*Note*) (1–2) 281–291
Kant, G. and X. He, Regular edge labeling of 4-connected plane graphs and its applications in graph drawing problems (1–2) 175–193
Kirousis, L.M., *see* N.D. Dendris (1–2) 233–254
Lefmann, H., *see* P. Fischer (1–2) 43– 65
Margenstern, M., *see* E. Goles (1–2) 121–134
Moore, D., *see* C.S. Iliopoulos (1–2) 281–291
Muscholl, A., *see* H.J. Hoogeboom (1–2) 309–321
Nicolai, F., *see* A. Brandstädt (1–2) 209–232
Rote, G., Finding a shortest vector in a two-dimensional lattice modulo m (*Note*) (1–2) 303–308
Rystsov, I., Reset words for commutative and solvable automata (*Note*) (1–2) 273–279
Savický, P. and S. Žák, A lower bound on branching programs reading some bits twice (*Note*) (1–2) 293–301
Shimozono, S., Finding optimal subgraphs by local search (*Note*) (1–2) 265–271
Smyth, W.F., *see* C.S. Iliopoulos (1–2) 281–291
Terwijn, S.A., *see* K. Ambos-Spies (1–2) 195–207
Thilikos, D.M., *see* N.D. Dendris (1–2) 233–254
Žák, S., *see* P. Savický (1–2) 293–301
Zheng, X., *see* K. Ambos-Spies (1–2) 195–207

Elsevier Science B.V.